T25

Sub-Compact, Series 1 24 ps





Packed with features to help accomplish your goals

This tractor is proof that good things can come in small packages. The T25 enables brings you greater power without compromising on maneuverability, backed by a powerful engine and ergonomic operator controls.



1. Linkage for optional loader



4. Throttle lever



2. 2-range HST



5. One-touch open hood



3. Foldable ROPS or all-weather cabin





6. Large-volume fuel tank



Ergonomic features for enhanced productivity

A wide operator cabin with a flat floor offers good visibility and ample leg room, promoting comfortable operation. All controls are within arms' reach, including a dial to control the cutting height of the midmount implement. The accelerator, brake pedal, differential lock and parking brake are easily accessible on the floor of the cabin, located precisely where you expect them to be. These features make this tractor easy to operate, even for novice drivers.



Differential Lock

Locking the differential allows the wheels to rotate at the same speed, allowing easy turns and preventing axle twists.



High torque, water-cooled Yanmar diesel engine

The Japanese made Yanmar engine offers more torque with less revs compared to competitors in its class. Since it is water cooled, the engine warms up faster and stabilized temperature more effectively while the tractor is running. The engine is also Stage V certified, including for noise emission standards.



2-range hydrostatic transmission for smooth operation

Accompanied by the power steering, the responsive 2-range hydrostatic controls on this tractor ensures a smooth ride. It reduces the need for operator effort, particularly while operating the optional front-end and rear implements.



Hydraulic Speed Adjustment Handle

The hydraulic speed adjustment handle on the tractor enables convenient control of lowering speed, seamlessly switching between low and high speeds.



Foldable ROPS for storage in low-ceiling structures

The Roll Over Protective Structure (ROPS) of the tractor is designed to be folded, allowing for easy storage in low-ceiling garages or sheds.

Technical specifications

| ENGINE | |
|--------------------------------|------------------------|
| Engine manufacturer | Yanmar 3TNV80 (DKTF) |
| | |
| Туре | Natural Aspiration |
| Gross engine power | 24 ps |
| PTO power | 18.8 ps 14.0 kW |
| Rated engine speed | 3000 rpm |
| No. of cylinders | 3 |
| Displacement | 77.3 cu. in. 1267 cc |
| Air cleaner | Single Dry |
| Alternator | 12V, 40A |
| Fuel system | IDI |
| POWERTRAIN | |
| Transmission type | Mechanical |
| No. of speeds | F6 x R2 |
| Max. traveling speed | 10.94 mph 17.6 km/h |
| Brakes | Wet Disc |
| Steering | Hydrostatic |
| Clutch | Dry Disc |
| CAPACITIES | |
| Fuel tank | 5.28 gal 20 L |
| Coolant | 3.8 qt 3.6 L |
| Crankcase | 2.9 qt 2.7 L |
| Transmission/Hydraulics system | 3.7 gal 14 L |
| Front axle | 3.7 qt 3.5 L |

| РТО | |
|---|-----------------------|
| PTO type | Independent |
| PTO control | Electric/Hydro |
| PTO rear | 540 |
| HYDRAULIC SYSTEM | |
| Pump type | Single Gear Pump |
| Implement flow | 4.18 gpm 15.82 lpm |
| Steering flow | 2.77 gpm 10.48 lpm |
| Total flow | 6.95 gpm 26.30 lpm |
| Category, 3-point hitch | Cat1 |
| Hitch lift capacity | 1635.83 lb 742 kg |
| Hitch lift capacity at 24 inches behind link ends | 1101 lb 499 kg |
| Lift control type | Position |
| No. of standard remote valves | Optional (1) |
| DIMENSIONS & WEIGHTS | |
| Overall length with 3-point hitch | 94.29 in. 2395 mm |
| Overall width | 46.06 in. 1170 mm |
| Wheelbase | 57.5 in. 1460 mm |
| Height to top of ROPS | 98.43 in. 2500 mm |
| Min. ground clearance | 9.4 in. 240 mm |
| Min. turn radius with brakes | 88.5 in 2250 mm |
| Min. turn radius without brakes | 100 in. 2540 mm |
| Weight with ROPS | 1840.86 lb 835 kg |
| Track width | F: 900 mm / R: 925 mm |
| STANDARD TIRES | |
| Agricultural - Front | 6.0 - 12 |
| Agricultural - Rear | 9.5 - 16 |
| Industrial - Front | 20x8.0 - 10 |
| Industrial - Rear | 27x12.5 - 15 |



Designed for your world

TYM creates tractors that bring together alluring form, advanced function and accessible value. Through Korean expertise in design, engineering and manufacturing, the company helps owners overcome every obstacle as they shape the world around them.

Headquartered in Korea with distribution across North America, Europe, and Asia, and assembly operations in the USA, TYM has been empowering customers for over 70 years.

www.tym.world